Posted by svd on Thu, 07 Mar 2024 08:19:07 GMT
View Forum Message <> Reply to Message

```
select
    case coalesce(a.GName,'')
      when ('') then a.Name
      else a.GName
    end || ' ' || coalesce(a.STRENGTH,''),
    a.DForm As Form,
    a.Packsize,
    a.artikelcode,
    a.IstAnzahl,
    a.FreiAnzahl,
    a.Flags,
    g.generickey,
    MaxSchacht,
    a.MinMenge,a.MaxMenge,a.MinLagerTemp,a.MaxLagerTemp,a.barcode,
    coalesce(a.CD,0),
    a.Aht,
    a.unfit,
    a.deleteflag,
    A.serialnumbersinceexpirydate,
    A.gname,
    A.genericid
  from ARTIKEL a, GENERICS g
    where a.Artikelcode not in('','-1','0','?') and
          a.Artikelcode not starting with '@'   and
          a.genericid = g.id
```

File Attachments

1) MEDIMAT-rest.zip, downloaded 1368 times

Posted by http://www.sqlru.net/index.php?t=usrinfo&id=131 on Thu, 07 Mar 2024 08:51:21 GMT
View Forum Message <> Reply to Message

Posted by svd on Thu, 07 Mar 2024 09:04:15 GMT
View Forum Message <> Reply to Message

select cast(a.gname as varchar(100))|| coalesce(a.STRENGTH,'')
?

select
    trim(substring(a.gname from 1 for 100)) ||' '|| coalesce(a.STRENGTH,''),

Posted by SD on Thu, 07 Mar 2024 12:54:15 GMT
View Forum Message <> Reply to Message

Posted by shavluk on Thu, 07 Mar 2024 13:00:10 GMT
View Forum Message <> Reply to Message

Posted by svd on Thu, 07 Mar 2024 13:40:04 GMT
View Forum Message <> Reply to Message