
Posted by [inoremap](#) on Mon, 11 Dec 2023 15:46:12 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
create table A (ID integer not null primary key, F integer not null);
create table B (ID integer not null primary key, F integer not null);
```

```
insert into A (ID, F) values (1, 101);
insert into A (ID, F) values (2, 102);
insert into A (ID, F) values (3, 103);
```

```
insert into B (ID, F) values (1, 101);
insert into B (ID, F) values (2, 102);
insert into B (ID, F) values (4, 104);
```

```
select
  A.F
from
  A
left outer join
  B on B.F = A.F
where
  B.F is null
```

```
execute block returns (f int)
as
declare a_f int;
declare b_f int;
declare b_c cursor for (select F from B order by F);
declare b_eof boolean;
begin
  open b_c;
  fetch b_c into :b_f;
```

```
b_eof = row_count = 0;
for select F from A order by F into :a_f do
begin
  while ((a_f > b_f) and (not b_eof)) do
  begin
    fetch b_c into :b_f;
    b_eof = row_count = 0;
    if (b_eof) then
      leave;
  end
  if ((a_f < b_f) or b_eof) then
  begin
    f = a_f;
    suspend;
  end
end
end
```
