
Posted by ang667s@mail.ru on Thu, 04 May 2023 15:29:20 GMT
[View Forum Message](#) <> [Reply to Message](#)

```
create or replace procedure upprice(hotel_id int,amount int)
LANGUAGE plpgsql
AS $$
begin
  update hotels
  set price = price + amount
  where hotels.id = hotel_id;
end;
$$;
```

File Attachments

1) [\[Image\]](#), downloaded
3162 times

The screenshot shows the DBeaver 22.3.3 interface. The main window displays a SQL script in the console:

```
create or replace procedure upprice(hotel_id int, amount int)
LANGUAGE plpgsql
AS $$
begin
    update hotels
    set price = price + amount
    where hotels.id = hotel_id;
end;
$$;
```

An "Execution Error" dialog box is overlaid on the console, displaying the following error message:

Error occurred during SQL query execution

Причина:
SQL Error [42601]: ERROR: syntax error at or near "procedure"
Позиция: 19

The dialog box includes three buttons: "Остановить" (Stop), "Повторить" (Repeat), and "Сведения >>" (Details >>).

Posted by _____ on Thu, 04 May 2023 15:48:53 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [ang667s@mail.ru](#) on Thu, 04 May 2023 16:20:42 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by on Fri, 05 May 2023 09:20:35 GMT
[View Forum Message](#) <> [Reply to Message](#)

Posted by [LM](#) on Sat, 29 Jul 2023 09:30:24 GMT
[View Forum Message](#) <> [Reply to Message](#)
