
Posted by [SZeman](#) on Thu, 28 Jul 2022 21:12:06 GMT

[View Forum Message](#) <> [Reply to Message](#)

"C:\Program Files\Firebird\Firebird_2_5\bin\gbak.exe" -b -v -t LOCALHOST:C:\DATA\DB.FDB
F:\DATA\DB_NEW.FBK -user SYSDBA -password masterkey

Done with volume #1, "F:\DATA\DB_NEW.FBK" Press return to reopen that file, or type a new name followed by return to open a different file. Name:

Posted by [neozx1984](#) on Fri, 29 Jul 2022 11:23:39 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [basid](#) on Sat, 30 Jul 2022 13:19:39 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [fraks](#) on Mon, 01 Aug 2022 01:31:16 GMT

[View Forum Message](#) <> [Reply to Message](#)

"C:\Program Files\Firebird\Firebird_2_5\bin\gbak.exe" -b -v -t LOCALHOST:C:\DATA\DB.FDB
F:\DATA\DB_NEW.FBK -user SYSDBA -password masterkey
gbak:backup options are:

- CO(NVERT) backup external files as tables
- E(XPAND) no data compression
- FA(CTOR) blocking factor
- G(ARBAGE_COLLECT) inhibit garbage collection
- IG(NORE) ignore bad checksums
- L(IMBO) ignore transactions in limbo
- NOD(BTRIGGERS) do not run database triggers
- NT Non-Transportable backup file format
- OL(D_DESCRIPTIONS) save old style metadata descriptions
- T(RANSPORTABLE) transportable backup -- data in XDR format

gbak:Usage:

gbak -b <db set> <backup set> [backup options] [general options]
gbak -c <backup set> <db set> [restore options] [general options]
<db set> = <database> | <db1 size1>...<dbN> (size in db pages)
<backup set> = <backup> | <bk1 size1>...<bkN> (size in bytes = n[K|M|G])
-recreate overwrite and -replace can be used instead of -c

Posted by [SZeman](#) on Mon, 01 Aug 2022 07:33:04 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [SZeman](#) on Mon, 01 Aug 2022 07:37:58 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [Alexey Kovyazin](#) on Mon, 01 Aug 2022 12:52:39 GMT

[View Forum Message](#) <> [Reply to Message](#)

> Done with volume #1, "F:\DATA\DB_NEW.FBK" Press return to reopen that file, or type a new name followed by return to open a different file. Name:

Posted by [SZeman](#) on Mon, 01 Aug 2022 14:00:53 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [Alexey Kovyazin](#) on Mon, 01 Aug 2022 17:35:48 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [fraks](#) on Tue, 02 Aug 2022 01:25:02 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [SZeman](#) on Fri, 05 Aug 2022 07:17:53 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by on Fri, 05 Aug 2022 08:46:36 GMT
[View Forum Message](#) <> [Reply to Message](#)

Posted by **SZeman** on Fri, 05 Aug 2022 10:06:32 GMT
[View Forum Message](#) <> [Reply to Message](#)

Posted by on Fri, 05 Aug 2022 14:54:02 GMT
[View Forum Message](#) <> [Reply to Message](#)

Posted by [Alexey Kovyazin](#) on Sun, 07 Aug 2022 07:50:12 GMT

[View Forum Message](#) <> [Reply to Message](#)

<https://ib-aid.com/articles/firebird-gbak-backup-tips-and-tricks>

Posted by [fraks](#) on Mon, 08 Aug 2022 01:24:16 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [kdv](#) on Mon, 08 Aug 2022 11:03:57 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by **SZeman** on Tue, 09 Aug 2022 12:00:43 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by **SZeman** on Tue, 09 Aug 2022 12:02:31 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [DarkMaster](#) on Tue, 09 Aug 2022 14:30:47 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [SZeman](#) on Tue, 09 Aug 2022 14:32:53 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [DarkMaster](#) on Tue, 09 Aug 2022 18:23:51 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [hvlad](#) on Wed, 10 Aug 2022 09:01:05 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
"C:\Program Files\Firebird\Firebird_2_5\bin\gbak.exe" -b -v -t LOCALHOST:C:\DATA\DB.FDB  
F:\DATA\DB_NEW.FBK -user SYSDBA -password masterkey
```

Done with volume #1, "F:\DATA\DB_NEW.FBK" Press return to reopen that file, or type a new name followed by return to open a different file. Name:

```
-SE LOCALHOST:service_mgr -b -v -t -g C:\DATA\DB.FDB F:\DATA\DB_NEW.FBK
```

Posted by [ggregory](#) on Wed, 10 Aug 2022 11:05:49 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [SZeman](#) on Fri, 12 Aug 2022 07:21:26 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
"C:\Program Files\Firebird\Firebird_2_5\bin\gbak.exe" -b -v -t LOCALHOST:C:\DATA\DB.FDB  
F:\DATA\DB_NEW.FBK -user SYSDBA -password masterkey
```

Done with volume #1, "F:\DATA\DB_NEW.FBK" Press return to reopen that file, or type a new name followed by return to open a different file. Name:

```
-SE LOCALHOST:service_mgr -b -v -t -g C:\DATA\DB.FDB F:\DATA\DB_NEW.FBK
```

Posted by [SD](#) on Fri, 12 Aug 2022 11:12:36 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [hvlad](#) on Fri, 12 Aug 2022 15:21:29 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by **SZeman** on Fri, 12 Aug 2022 16:11:05 GMT

[View Forum Message](#) <> [Reply to Message](#)
